## Index to Volume 25 Authors and titles

Abu-Serewa, S., and Karunajeewa, H.

A comparison of methods for rehabilitating aging hens 320

Anderson, G. W.

Green Pinus radiata needles as a feed for sheep 524

Armour, J. D., Laurence, R. C. N., Shepherd, R. K., Dwyer, M. J., and Loader, L. R.

Calcium requirements of Virginia Bunch peanuts in the Mareeba-Dimbulah area of North Queensland 458

Armour, J. D.

See Laurence, R. C. N. 954

Arnold, G. W., Ozanne, P. G., Galbraith, K. A., and Dandridge, F.

The capeweed content of pastures in south-west Western Australia 117

Arnold, G. W., Weeldenberg, J., and Grassia, A.

Competition between Wimmera ryegrass and narrow-leafed lupins 824

Axelsen, A.

See Freer, M.

Bacon, P. E.

The effect of nitrogen application time on Calrose rice growth and yield in south-eastern Australia 183

Bailey, P. J., Holland, B. J. M., and Gilbert, J. E.

Effect of restricted access to water, hay or salt on liveweights
of steers 249

Barbetti, M. J.

Infection studies with Cercospora zebrina on pasture legumes in Western Australia 850
See Wong D. H. 574

Barker, D. J., May, P. J., Morris, C. A., and Ridley, P. E. R. First calving performance of beef cattle.

1. Effects of moderate and slow growth between weaning and joining at 15 months of age 270

A comparison of Shorthorns and dairy crossbreds 276

Barker, D. J., May, P. J., and Ridley, P. E. R.
Urea, meat meal or lupins as nitrogen supplements to barley
and hay diets for yearling cattle at two levels of body

condition 257 Barker, D. J.

See Greathead, K. D. 497
Barwick, S. A., Kilgour, R. J., and Gleeson, A. C.

Ram mating performance in Border Leicesters and related breed types.

1. Pen test performance and measures of testis diameter 9

Barwick, S. A.

See Kilgour, R. J. 17

Bateman, R. J., and Walker, S. R.

Effect of stubble cover on efficacy of some soil-incorporated herbicides 927

Bell, M. J.

Calcium nutrition of peanuts (Arachis hypogaea L.) on

Cockatoo Sands of the Ord River Irrigation Area 642
Phosphorus nutrition of peanut (*Arachis hypogaea* L.) on
Cockatoo Sands of the Ord River Irrigation Area 649

Best, E. K., Manning, G. K., and Grundon, N. J. The ability of several soil extractants to identify copper-

responsive wheat soils 863

Bettenay, R. A.

Effect of growth rate and mating age of dairy heifers on subsequent production over four years 263

Blackwell, J., Meyer, W. S., and Smith, R. C. G.

Rice growth and yield under sprinkler irrigation on a freedraining soil 636

Blowes, W. M., Schmalzl, K. J., and Jones, S. M.

Effect of glyphosate on the establishment, growth and nodulation of 14 pasture legume cultivars 347

Bouma, D.

See Dowling, E. J. 331

Bolland, M. D. A.

Residual value for wheat of phosphorus from calciphos, Duchess rock phosphate and triple superphosphate on a lateritic soil in south-western Australia 198

Serradella (*Ornithopus* sp): maturity range and hard seed studies of some strains of the five species 580

Effect of nitrogen and cobalt application on herbage and seed yields of serradella and subterranean clover 588

Effects of phosphorus on seed yields of subterranean clover

Effects of phosphorus on seed yields of subterranean clover, serradella and annual medics 595

Assessment of methods of re-seeding subterranean clover near Esperance, Western Australia 886

Effect of soil acidity and nutrient deficiencies on the growth and persistence of subterranean clover in pastures grown on sandy soils near Esperance, Western Australia 893

Responses of serradella and subterranean clover to phosphorus and Duchess rock phosphate 902

Bowdler, T. M.

See Lowe, K. F. 82

Bray, R. A.

See Minson, D. J. 306

Brownlee, H., and Denney, G. D.

Evaluation of medics under continuous grazing with sheep in central-western New South Wales 311

Burrow, H. W.

See Rudder, T. H. 489

Cameron, D. F., Irwin, J. A. G., and O'Brien, R. G. Variability in isolates of Colletotrichum gloeosporioides anthracnose diseases of Stylosanthes species 444

Campbell, M. H., Dellow, J. J., Keys, M. J., and Gilmour, A. R.

Use of herbicides for selective removal of Eragrostis curvula (Schrad.) Nees from a Phalaris aquatica pasture 665

Campbell, M. H., and Murison, R. D.

Effect of mixtures of tetrapion and 2,2-DPA on the control of serrated tussock (Nassella trichotoma) 672

Carter, M. V., and Perrin, E.

A pneumatic-powered spraying secateur for use in commercial orchards and vineyards 939

Chin, J. F.

See Reed, K. F. M. 35

Chung, B.

Effect of plant density on the sequential harvest yield of broccoli 959

Cochrane, M. J., and Wickes, R. B.

Nutrient losses in cereal and pasture hays stored in three types of hay packages in the open in two environments 326

Cock, G. I.

Moisture characteristics of irrigated Mallee soils in South Australia 209

Soil structural conditions of vineyards under two soil management systems 450

Cole, P. J., and McCloud, P. I.

Salinity and climatic effects on the yield of citrus 711

Collins, P. J.

Resistance to grain protectants in field populations of the sawtoothed grain beetle in southern Queensland 683

Collins, W. T.

See Rossiter, R. C. 362

Cooke, J. W.

Effect of fallowing practices on runoff and soil erosion in south-eastern Australia 628

Cooke, J. W., Ford, G. W., Dumsday, R. G., and Willatt, S. T. Effect of fallowing practices on the growth and yield of wheat in south-eastern Australia 614

Cowan, R. T.

See Davison, T. M. 505, 515

Crocker, G. J., Sheridan, K. P., and Holford, I. C. R.
Lucerne responses to lime and interactions with other
nutrients on granite soils 337

Croker, K. P., and Johns, M. A.

Reproductive performance of ewes fed sweet narrow-leafed lupin seed infected with *Phomopsis* leptostromiformis 536

Croker, K. P., Johns, M. A., and Johnson, T. J. Reproductive performance of Merino ewes supplemented with sweet lupin seed in southern Western Australia

Cullis, B. R.

See Hall, D. G. 758; Lemerle, D. 677

Cutten, I. N.

See Kleemann, D. O. 750

Dandridge, F.

See Arnold, G. W. 117

Davison, T. M., Cowan, R. T., and Shepherd, R. K. Milk production from cows grazing on tropical grass pastures.

Effects of stocking rate and level of nitrogen fertilizer on milk yield and pasture-milk relationships

Davison, T. M., Cowan, R. T., Shepherd, R. K., and Martin, P.

Milk production from cows grazing on tropical grass pastures.

1. Effects of stocking rate and level of nitrogen fertilizer on the pasture and diet 505

Davison, T. M., Jarrett, W. B., and Martin P.

A comparison of four patterns of allocating maize during lactation to Friesian cows grazing tropical pastures 241

Dear, B. S., and Zorin, Magaret

Persistence and productivity of *Trifolium ambiguur* 1 M.

Bieb. (Caucasian clover) in a high altitude region of southeastern Australia 124

Deery, M. J.

See Norton, B. W. 35

Dellow, J. J.

See Campbell, M. H. 665

Denney, G. D.

See Brownlee, H. 311

Donnelly, J. R.

See Freer, M. 289

Dove, H.

See Freer, M. 289

Dowling, E. J., and Bouma, D.

Field evaluation of a leaf test for assessment of the phosphorus status of subterranean clover and for prediction of its response to phosphorus 331

Dowling, P. M.

See Robinson, G. C. 562

Downes, R. W.

See Salisbury, P. A. 133

Dumsday, R. G.

See Cooke, J. W. 614

Dwyer, M. J.

See Armour, J. D., 458; Laurence, R. C. N. 954

Eales, J. W.

See Reed, K. F. M. 351

Egan, K. J.

See Watson, M. J. 771

Emms, Y.

See Godfrey, N. W. 791

Fisher, J. A.

See Lemerle, D. 677, 922

Flinn, P. C.

See Saul, G. R. 734

Ford, G. W.

See Cooke, J. W. 614

Fordyce, G., Goddard, M. E., Tyler, R., Williams, G., and Toleman, M. A.

Temperament and bruising of Bos indicus cross cattle 283

Fowler, D. G.

See Kilgour, R. J. 17

Freer, M., Dove, H., Axelsen, A., Donnelly, J. R., and McKinney, G. T.

Responses to supplements by weaned lambs grazing mature pasture or eating hay in yards. 289

Fulkerson, W. J., and Michell, P.

Production response to feeding wheat grain to milking cows 253

Galbraith, K. A.

See Arnold, G. W. 117

Gallagher, E. C.

See Redden, R. J. 470

Gardener, C. J.

See Vallis, I. 70

George, D. L., and Greenaway, J. B.
A single-head hand thresher for sunflower 654

George D. L.

See Greenaway, J. B. 878

George, J. M.

See Haughey, K. G. 541

Gilbert, J. E.

See Bailey, P. J. 249

Gilmour, A. R.

See Campbell, M. H. 665

Gleeson, A. C.

See Barwick, S. A. 9

Goddard, M. E.

See Fordyce, G. 283

Godfrey, N. W., Mercy, A. R., Emms, Y., and Payne, H. G. Tolerance of growing pigs to lupin alkaloids 791

Goodman, R. D.

See Langridge, D. F. 220, 224, 227

Graham, N. McC.

See Margan, D. E. 783

Gramshaw, D., Langdon, P. W., Lowe, K. F., and Lloyd, D. L. Performance of North American and Australian lucernes in the Queensland subtropics.

Field reaction to important root and crown diseases 76

Gramshaw, D.

See Lloyd, D. L. 91; Lowe, K. F. 82

Grassia, A.

See Arnold, G. W. 824

Greathead, K. D., and Barker, D. J.

Effect of conserving annual pastures for hay on serum magnesium levels of lactating beef cows in a Mediterranean environment 497

Greenaway, J. B. and George, D. L.

A column winnower for small-sample seed cleaning 878

Greenaway J. B.

See George, D. L. 654

Greenfield, R. G.

See Strickland, R. W. 100

Grimson, R. J.

See Kleemann, D. O. 750

Grundon, N. J.

See Best, E. K. 863

Gulbransen, B.

Survival feeding of cattle with molasses.

Feeding non-pregnant heifers with molasses plus urea and roughage

2. Feeding steers with molasses/urea plus either sorghum grain (Sorghum vulgare) or cottonseed meal (Gossypium hirsutum) 4

Haddad, K. S., and Weir, R. G.

Influence of soil properties on the use of soil and plant zinc to predict zinc response in maize 856

Hales, J. W.

See Whiteman, P. C. 481

Hall, D. G., Wolfe, E. C., and Cullis, B. R.

Performance of breeding ewes on lucerne-subterranean clover pastures 758

Harradine, A. R., and Jones, A. L.

Control of gorse regrowth by Angora goats in the Tasmanian Midlands 550

Harvey, G. L.

See Strickland 100

Haughey, K. G., and George, J. M., and McGuirk, B. J. The repeatability of rearing performance of Merino and Dorset Horn ewes and its relationship with mature pelvic size 541

Henry, R. J.

A comparative study of the total β-glucan contents of some Australian barleys 424

Hilder, T. B.

See Lloyd, D. L. 54, 91

Hill, B. D.

Persistence of temperate perennial grasses in cutting trials on the central slopes of New South Wales 832

Yields of perennial grasses growing in mixtures with annual species and the effect of perennials on total yields 840

Hill, Michael, J.

Direct drilling tall fescue (Festuca arundinacea Schreb.)
prairie grass (Lolium multiflorum Lam.) into kikuyu and
paspalum pastures 806

Hill, Michael J., Kay, Gabrielle, and Yeates, Stephen J.

A comparison of the growth of seedlings of Mediterranean and temperate tall fescues, phalaris and annual ryegrass 818

Hill, S. J., Stephenson, D. W., and Taylor, B. K.

Almond pollination studies: pollen production and viability, flower emergence and cross-pollination tests 697

Hinkley, R. B.

See Lemerle, D. 677, 922

Hodge, P. B.

See Wood, S. J. 745

Hodge, R. W., and Kat, C.

The response of Merino lambs given whole wheat supplemented with urea or hay 32

Holford, I. C. R.

See Crocker, G. J. 337

Holland, B. J. M.

See Bailey, P. J. 249

Horsnell, L. J.

The growth of improved pastures on acid soils.

The effect of superphosphate and lime on soil pH and on the establishment and growth of phalaris and luceme
 149

2. The effect of soil incorporation of lime and phosphorus on the growth of subterranean clover and lucerne pastures and on their response to topdressing, L. J. Horsnell 157

3. Response of lucerne to phosphate as affected by

calcium and potassium sulfates and soil aluminium levels 557

Hughes, R. J.

Use of the synthetic oxycarotenoids, β-apo-8'-carotenoic acid ethyl ester and citranaxanthin, in diets low in natural pigments to enhance egg yolk colour 41

Irwin, J. A. G.

See Cameron, D. F. 444

Jarrett, W. B.

See Davison, T. M. 241

Johns, M. A.

See Croker 21, 536

Johnson, T. J.

See Croker 21

Jones, A. L.

See Harradine, A. R. 550

Jones, S. M.

See Blowes, W. M. 347

Karunajeewa, H.

See Abu-Serewa, S. 320

Kat C

See Hodge, R. W. 32

Kaus, R. K.

See Wythes, J. R. 727

Kay, Gabrielle

See Hill, Michael J. 818

Kemp, D. R., McDonald, W. J., and Murison, R. D. Temporal variation in the results of soil phosphate analyses 881

Kemp. H.

See Pearson, Craig J. 109

Kenney P. A

Effects of lupin grain and type of cereal grain on the value of a hay supplement in the diet of lambing ewes during drought 766

Kenney, P. A., and Smith, R. S.

Effect of including lupins with cereal grain rations on the production of lambing ewes during drought 529

Kevs. M. J.

See Campbell, M. H. 665

Kilgour, R. J.

Mating behaviour of rams in pens 298

Kilgour, R. J., Barwick, S. A., and Fowler, D. G.

Ram mating performance in Border Leicesters and related breed types.

2. Comparison of the performance of rams that were sexually active and inactive in pen tests 17

Kilgour, R. J.

See Barwick, S. A. 9

King, K. R.

See Stockdale, C. R. 47

Kirby, A. C.

See Pearson, Craig J. 109

Kleemann, D. O., Ponzoni, R. W., Stafford, J. E., Cutten, I. N., and Grimson, R. J.

Growth and carcass characters of the South Australian

Merino and its crosses with the Booroola and Trangie fertility Merino 750

Klein, L.

See Rossiter, R. C. 362

Lambourne, L. J., and Wood, I. M.

Nutritional quality of grain of Australian cultivars of lablab bean (Lablab purpureus) 169

Langdon, P. W.

See Gramshaw, D. 76

Langridge, D. F., and Goodman, R. D.

Honeybee pollination of lupins (Lupinus albus cv.

Hamburg) 220

Honeybee pollination of loganberries (Rubus loganobaccus L. H. Bailey) 224

Honeybee pollination of Japanese plums (*Prunus salicina* Lindl. cv. Satsuma) in the Goulburn Valley, Victoria 227

Langridge, D. F.

See Rayner, C. J. 722

Launders, T. E.

See Pearson, Graig J. 109

Laurence, R. C. N., Armour, J. D., Shepherd, R. K., Loader, L. R., and Dwyer, M. J.

Nitrogen fertilizer requirements of irrigated potatoes on the Atherton Tableland, North Queensland 954

Laurence, R. C. N.

See Armour, J. D. 458

Lloyd, D. L., Gramshaw, D., Hilder, T. B., Ludke, D. H., and Turner, J. W.

Performance of North American and Australian lucernes in the Queensland subtropics.

3. Yield, plant survival and aphid populations in

raingrown stands 91

Lloyd, D. L., and Hilder, T. B.
Dry matter production by a subtropical grass (Makarikari grass) grown in association with a temperate annual legume (barrel medic) and nitrogen fertilizer in southern Queensland 54

Lloyd, D. L.

See Gramshaw, D. 76

Lee, T. C.

See Wicks, T. 705

Lemerle, D., Leys, A. R., Hinkley, R. B., and Fisher, J. A. Tolerance of wheat cultivars to pre-emergence herbicides 922

Lemerle, D., Leys, A. R., Hinkley, R. B., Fisher, J. A., and

Tolerances of wheat cultivars to post-emergence wild oat herbicides 677

Leys, A. R.

See Lemerle, D. 677, 922

Little, C. R.

See Sharkey, P. J. 718

Loader, L. R.

See Armour, J. D. 458; Laurence, R. C. N. 954

Lodge, G. M.

Effects of grazing and haycutting on the yield and

persistence of dryland aphid-resistant lucerne cultivars at Tamworth, New South Wales 138

Lowe, K. F., Gramshaw, D., Bowdler, T. M., and Ludke, D. H.

Performance of North American and Australian lucernes in the Queensland subtropics.
2. Yield and plant survival in irrigated stands 82

Lowe K. F.

See Gramshaw, D. 76

Ludke, D. H.

See Lloyd, D. L. 91; Lowe, K. F. 82

McCarthy, M. G.

See Robinson, J. B. 231

McCleod, R. W.

Influence of root-knot nematodes on yield of tobacco in northern New South Wales 687

McCloud, P. I.

See Cole, P. J. 711; Potter, T. D. 178

McDonald, R. M.

See Reed, K. F. M. 35

McDonald, W. J.

See Kemp, D. R. 881

McGuirk, B. J.

See Haughey, K. G. 541

McIvor, J. G.

The growth of *Urochloa* accessions in grazed swards with Stylosanthes near Townsville, North Queensland 61

McKinney, G. T.

See Freer, M. 289

McLoud, P. I.

See Potter, T. D. 178

Mailer, R. J., and Wratten, N.

Comparison and estimation of glucosinolate levels in Australian rapeseed cultivars 932

Manning, G. K.

See Best, E. K. 863

Margan, D. E., Graham, N. McC., and Searle, T. W. Energy values of whole lucerne (Medicago sativa) and of its stem and leaf fractions in immature and fully grown sheep 783

Marshall, T.

Effect of month of birth and first summer's nutrition on the productivity of Merino wethers 777

Martin, P.

See Davison, T. M. 241, 505

Mason, M. G.

Sulfur-coated urea as a source of nitrogen for cereals in Western Australia 913

May, P. J.

See Barker, D. J. 257, 270, 276

Mayfield, A. H.

Efficacies of fungicides for control of stem rust of wheat 440

Melksham, K. J., and Munro, H. E.

Residual 1,2-dibromoethane in mango, capsicum,

passionfruit and papaw after fumigation against Queensland fruit fly, Dacus tryoni (Froggatt) 214

Michell, P.

See Fulkerson, W. J. 253

Mercy, A. R.

See Godfrey, N. W. 791

Meyer, W. S.

See Blackwell, J. 636

Milkled, C.

See Pearson, Craig J. 109

Minson, D. J., and Bray, R. A.

In vivo digestibility and voluntary intake by sheep of five lines of Cenchrus ciliaris selected on the basis of in vitro digestibility 306

Morris, C. A.

See Barker, D. J. 270, 276

Muldoon, D. K.

Summer forages under irrigation.

1. Growth and development 393

2. Forage composition 402

 The effect of nitrogen fertilizer on the growth, mineral composition and digestibility of a sorghum × Sudangrass hybrid and Japanese barnyard millet 411

4. The growth and mineral composition of forage

legumes 417

The effect of photoperiod on the growth and development of Echinochloa spp. millets 428

Müller, W. J.

See Salisbury, P. A. 133

Munro, H. E.

See Melksham, K. J. 214

Murison, R. D.

See Campbell, M. H. 672; Kemp, D. R. 881

Newman, G. A.

See Kaus, R. K. 727

Nielsen, R. G. H.

See Radford, B. J. 656

Niven, D. R., and Pritchard, D. A.

Effects of control of the sheep body louse (Damalinia ovis) on wool production and quality 27

Norton, B. W., and Deery, M. J.

The productivity of Angora goats grazing improved and native pastures in south-eastern Queensland 35

Norton, B. W.

See Whiteman, P. C. 481

O'Brien, R. G.

See Cameron, D. F. 444

Ozanne, P. G.

See Arnold, G. W. 117

Payne, H. G.

See Godfrey, N. W. 791

Pearson, Graig J., Kemp, H., Kirby, A. C., Launders, T. E., and Milkled, C.

Responsiveness to seasonal temperature and nitrogen among genotypes of kikuyu, paspalum and bermuda grass pastures of coastal New South Wales 109 Peltzer, S., and Sivasithamparam, K.

Soft-rot erwinias and stem rots in potatoes 693

Perrin, E.

See Carter, M. V. 939

Petch, A., and Smith, R. W.

Effect of lupin management on the yield of subsequent wheat crops in a lupin-wheat rotation 603

Peterson, J. E.

See Petterson, D. S. 434

Petterson, D. S., Peterson, J. E., Smith, L. W., Wood, P. McR., and Culvenor, C. C. J.

Bioassay of the contamination of lupin seed by the mycotoxin phomopsin 434

Petterson, D. S.

See Wood, P. McR. 164

Philp, B.

See Wicks, T. 465

Ponzoni, R. W.

See Kleemann, D. O. 750

Potter, T. D., and McLoud, P. I.

Evaluation of sunflower cultivars in South Australia 178

Pritchard, D. A.

See Niven, D. R. 27

Radford, B. J., and Nielsen, R. G. H.

Comparison of a press wheel, seed soaking and water injection as aids to sorghum and sunflower establishment in Queensland 656

Rayner, C. J., and Langridge, D. F.

Amino acids in bee-collected pollens from Australian indigenous and exotic plants 722

Redden, R. J., Rose, J. L., and Gallagher, E. C.
The breeding of navy and culinary beans in
Queensland 470

Reed, K. F. M., Schroder, P. M., Eales, J. W., McDonald, R. M., and Chin, J. F.

Comparative productivity of *Trifolium subterraneum* and *T. yanninicum in* south-western Victoria 351

Ridley, P. E. R.

See Barker, D. J. 257, 270, 276

Ridzwan Halim, N.

See Whiteman, P. C. 481

Robinson, G. C., and Dowling, P. M.

Establishment and persistence of surface-sown and resident grasses using three pasture development methods in relation to three stocking managements 562

Robinson, J. B., and McCarthy, M. G.

Use of petiole analysis for assessment of vineyard nutrient status in the Barossa district of South Australia 231

Rose, J. L.

See Redden, R. J. 470

Rossiter, R. C., Collins, W. J., and Klein, L.
Winter growth and nutritive quality of serradella
(Ornithopus spp.) 362

Rovira, A. D.

See Simon, A. 191

Rudder, T. H., Seifert, G. W., and Burrow, H. W. Environmental and genotype effects on fertility in a commercial beef herd in central Queensland 489

Rudder, T. H.

See Wood, S. J. 745

Russell, J. S.

Soil treatment, plant species and management effects on improved pastures on a solodic soil in the semi-arid subtropics.

1. Dry matter and botanical composition 36

2. Cattle liveweight gains 380

Saffigna, P. G.

See White, P. J. 869

Salisbury, P. A., Downes, R. W., and Müller, W. J.

Relationship between resistance to blue-green aphid and to
pea aphid in lucerne 133

Saul, G. R., and Flinn, P. C.

Effects of saline drinking water on growth and water and feed intake of weaner heifers 734

Schmalzl, K. J.

See Blowes, W. M. 347

Schroder, P. M.

See Reed, K. F. M. 351

Searle, T. W.

See Margan, D. E. 783

Seifert, G. W.

See Rudder, T. H. 489; Wood, S. J. 745

Sharkey, P. J., Little, C. R., and Thornton, I. R.

Effects of low-density polyethylene liners and high-density polyethylene wraps on quality, decay and storage life of lemon and tangor fruits 718

Shepherd, R. K.

See Armour, J. D. 458; Davison, T. M. 505, 515; Laurence, R. C. N. 954

Sheridan, K. P.

See Crocker, G. J. 337

Simon, A., and Rovira, A. D.

The influence of phosphate fertilizer on the growth and yield of wheat in soil infested with cereal cyst nematode (Heterodera avenae Woll.) 191

Sivasithamparam, K.

See Peltzer, S. 693; Wong, D. H. 574

Smith, L. W.

See Petterson, D. S. 434

Smith. R. C. G.

See Blackwell, J. 636

Smith, R. S.

See Kenney, P. A. 529

Smith, R. W.

See Petch, A. 603

Stafford, J. E.

See Kleemann, D. O. 750

Stephenson, D. W.

See Hill, S. J. 697

Stirling, G. R., and Wachtel, M. F.

Root-knot nematode (Meloidogyne hapla) on potato in south-eastern South Australia 455

Stockdale, C. R., and King, K. R.

Effects of autumn deferment of grazing on subsequent growth, botanical composition and quality of two types of irrigated pasture 47

Stockdale, C. R., and Trigg, T. E.

Effect of pasture allowance and level of concentrate feeding on the productivity of dairy cows in late lactation 739

Strickland, R. W., Greenfield, R. G., Wilson, G. P. M., and Harvey, G. L.

Morphological and agronomic attributes of Cassia rotundifolia Pers., C. pilosa L., and C. trichopoda Benth., potential forage legumes for northern Australia 100

Sykes, S. R.

Effects of seedling age and size on chloride accumulation by juvenile citrus seedlings treated with sodium chloride under glasshouse conditions 943

Taylor, B. K.

See Hill, S. J. 697

Taylor, G. B.

Effect of tillage practices on the fate of hard seeds of subterranean clover in a ley farming system 568

Thornton, I. R.

See Sharkey, P. J. 718

Toleman, M. A.

See Fordyce, G. 283

Trigg, T. E.

See Stockdale, C. R. 739

Turner, J. W.

See Lloyd, D. L. 9

Tyler, R.

See Fordyce, G. 283

Vallis, I., and Gardener, C. J.

Effect of pasture age on the efficiency of nitrogen fixation by 10 accessions of *Stylosanthes* spp. 70

Vallis, I.

See White, P. J. 869

Wachtel, M. F.

See Stirling, G. R. 45

Walker, S. R.

See Bateman, R. J. 927

Watson, M. J., and Egan, K. J.

Protein and roughage supplements for pregnant and lactating ewes fed wheat for survival 771

Weeldenberg, J.

See Arnold, G. W. 824

Weir, R. G.

See Haddad, K. S. 856

White, P. J., Saffigna, P. G., and Vallis, I.

Effect of stubble management during different fallow periods on nitrogen nutrition of wheat on an irrigated black earth 869 Whiteman, P. C., Ridzwan Halim, N., Norton, B. W., and Hales, J. W.

Beef production from three tropical grasses in south-eastern Queensland 481

Whiteman, P. C.

See Wijnberg, Catherine 796

Wickes, R. B.

See Cochrane, M. J. 326

Wicks, T., and Lee, T. C.

Effects of flooding, rootstocks and fungicides on Phytophthora crown rot of almonds 705

Wicks, T., and Philp, B.

Effects of iprodione and vinclozolin seed treatments on germination, emergence and plant growth in onion 46:

Wijnberg, Catherine, and Whiteman, P. C.

Effects of stocking rate of goats and stage of crop growth when grazed on grain yield and goat production from pigeonpea (Cajanus cajan) 796

Willatt, S. T.

See Cooke, J. W. 614

Williams, G.

See Fordyce, G. 283

Wilson, G. P. M.

See Strickland, R. W. 100

Wolfe, E. C.

See Hall, D. G. 758

Wong, D. H., Barbetti, M. J., and Sivasithamparam, K. Fungi associated with root rot of subterranean clover in Western Australia 574

Wood, I. M.

See Lambourne, L. J. 169

Wood, P. McR., and Petterson, D. S.

A survey of *Phomopsis leptostromiformis* infection of lupin seed in Western Australia: 1976-81 164

Wood, P. McR.

See Petterson, D. S. 434

Wood, S. J., Rudder, T. H., Seifert, G. W., and Hodge, P. B. Growth to 12 months of age of Hereford and Africander × Hereford crossbred cattle in central Queensland 745

Wratten, N.

See Mailer, R. J. 932

Wythes, J. R., Kaus, R. K., and Newman, G. A.

Bruising in beef cattle slaughtered at an abattoir in southern

Queensland 727

Yeates, Stephen J.

See Hill, Michael J. 818

Zorin, Magaret

See Dear, B. S. 124